



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant Louis Shamie
Serial No. 09/655,962
Filed September 5, 2000
For Hardware System For A Crib
Art Unit 3673
Examiner Alexander Grosz

Hon. Commissioner for Patents
US Patent and Trademark Office
P.O. Box 1450
Arlington VA 22313-1450

NOTIFICATION OF CHANGE OF ADDRESS OF INVENTOR


Responsive to a Notice of Allowance and Fees Due Office
Action dated January 18, 2005, please let the records of the USPTO
reflect the following change of address of the inventor Louis Shamie in the
above referenced United States Patent Application as follows:

MAILING CERTIFICATE

I hereby certify that this correspondence is being deposited with the United States Postal
service as Express Mail Certificate No. **ER 374 012 622 US**

in an Envelope addressed to Hon. Commissioner for Patents, US Patent and Trademark
Office, P.O. Box 1450, Arlington VA 22313-1450, on the date indicated below

Name


Arthur I. Degenholtz

Date

4/14/2005



FROM

175 Liberty Ave.

Brooklyn, NY 11212

TO

114 W. 26th Street


New York, NY 10001

The courtesy, cooperation and skill of Primary Examiner
Alexander Grosz are appreciated.

Respectfully,

Arthur I. Degenholtz
Agent of Record
USPTO Reg. 22,916
32 Vandelinda Ave.
Teaneck NJ 07666
Tel 201 692 1292
FAX 201 692 9764

Dated: 4/14/2005
Teaneck, NJ



Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

PTO/SB/122 (09-04)

Approved for use through 07/31/2006. OMB 0651-0035
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

CHANGE OF CORRESPONDENCE ADDRESS Application

Address to:
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Application Number	09 / 655 962
Filing Date	9 / 5 / 2000
First Named Inventor	LOUIS SHAMIE
Art Unit	3673
Examiner Name	ALEXANDER GROSZ
Attorney Docket Number	

Please change the Correspondence Address for the above-identified patent application to:

☐ The address associated with
Customer Number:

OR

☐ Firm or
Individual Name

LOUIS SHAMIE

Address

114 W 26TH STREET

City

NEW YORK

State

NY

Zip

10001

Country

US

Telephone

Fax

This form cannot be used to change the data associated with a Customer Number. To change the data associated with an existing Customer Number use "Request for Customer Number Data Change" (PTO/SB/124).

I am the:

☐ Applicant/Inventor

☐ Assignee of record of the entire interest.
Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96).

☒ Attorney or agent of record. Registration Number 22916

☐ Registered practitioner named in the application transmittal letter in an application without an executed oath or declaration. See 37 CFR 1.33(a)(1). Registration Number

Signature

Arthur I Degenholtz

Typed or Printed
Name

ARTHUR I DEGENHOLTZ

Date

4 / 14 / 2005

Telephone

201 692 1292

NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below".

☐ *Total of 1 forms are submitted.

This collection of information is required by 37 CFR 1.33. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 3 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.